EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S180	1	("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) near5 (hard ADJ drive OR disk$1 OR drive$1) near5 (priorit$3 OR prioritization) SAME ((cach$3) near5 (hit $4 OR miss$3) near5 ratio$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:13
S181	13	("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) WITH (hard ADJ drive OR disk$1 OR drive$1) WITH (priorit$3 OR prioritization) SAME2 ((cach$3) near5 (hit $4 OR miss$3) near5 ratio$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:15
S182	13	("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) WITH (hard ADJ drive OR disk$1 OR drive$1) WITH (priorit$3 OR prioritization) SAME2 ((cach$3) WITH (hit $4 OR miss$3) WITH ratio$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:22
S183	35	("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) WITH (hard ADJ drive OR disk$1 OR drive$1) WITH (priorit$3 OR prioritization) AND ((cach$3) WITH (hit $4 OR miss$3) WITH ratio$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:27

S184	5	("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) near5 (hard ADJ drive OR disk$1 OR drive$1) near5 (priorit$3 OR prioritization) AND ((cach$3) near5 (hit $4 OR miss$3) near5 ratio$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:27
S185	5	("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) near5 (hard ADJ drive OR disk$1 OR drive$1) near5 (priorit$3 OR prioritiz$6) AND ((cach$3) near5 (hit $4 OR miss$3) near5 ratio$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:39
S186	0	(execut$3 OR run$4) near5 (priorit$3 OR prioritiz$6) near5 ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) near5 (hard ADJ drive OR disk$1 OR drive$1) near5 (cach$3) near5 (hit$4 OR miss $3) near5 (ratio$1 OR count$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:55
S187	0	(execut$3 OR run$4) WITH (priorit$3 OR prioritiz$6) WITH ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) WITH (hard ADJ drive OR disk$1 OR drive$1) WITH (cach$3) WITH (hit$4 OR miss $3) WITH (ratio$1 OR count$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:56

S188	9	(execut$3 OR run$4) SAME (priorit$3 OR prioritiz$6) SAME ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) SAME (hard ADJ drive OR disk$1 OR drive$1) SAME (cach$3) SAME (hit$4 OR miss $3) SAME (ratio$1 OR count$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:56
S189	3	(execut$3 OR run$4) WITH (priorit$3 OR prioritiz$6) WITH ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) WITH (cach$3) WITH (hit $4 OR miss$3) WITH (ratio$1 OR count$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 14:03
S190	31	(execut$3 OR run$4) SAME (priorit$3 OR prioritiz$6) SAME ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) SAME (cach$3) SAME (hit $4 OR miss$3) SAME (ratio$1 OR count $3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 14:07
S191	4	("5185861" | "5287508" | "6073225" | "6243788").PN. OR ("6615316").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/25 15:04
S192	0	(halt$3 OR stop$4) near5 (low near5 (priorit$3 OR affinit $3) near5 (process $2)) WITH ((cach$3) near5 (hit$4 OR miss $3) near5 (ratio$1 OR count$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 17:31

S193	0	(halt$3 OR stop$4) near5 (low near5 (priorit$3 OR affinit $3) near5 (process $2)) SAME ((cach$3) near5 (hit$4 OR miss $3) near5 (ratio$1 OR count$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 17:32
S194	0	(halt$3 OR stop$4) near5 (low near5 (priorit$3 OR affinit $3) near5 (process $2)) SAME ((cach$3) near5 (hit$4 OR miss $3) near5 (ratio$1 OR count$3 OR track $3 OR number$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 17:32
S195	0	(halt$3 OR stop$4) WITH (low near5 (priorit$3 OR affinit $3) near5 (process $2)) SAME ((cach$3) WITH (hit$4 OR miss $3) WITH (ratio$1 OR count$3 OR track $3 OR number$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 17:33
S196	0	(halt$3 OR stop$4) WITH (low$3 WITH (priorit$3 OR affinit $3) WITH (process $2)) SAME ((cach$3) WITH (hit$4 OR miss $3) WITH (ratio$1 OR count$3 OR track $3 OR number$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 17:33
S197	0	(halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3) WITH (low$3 WITH (priorit $3 OR affinit$3) WITH (process$2)) SAME ((cach$3) WITH (hit$4 OR miss $3) WITH (ratio$1 OR count$3 OR track $3 OR number$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 17:34

S198	0	(halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus $3) WITH (low$3 WITH (priorit$3 OR affinit$3) WITH (process$2)) SAME ((cach$3) WITH (hit $4 OR miss$3) WITH (ratio$1 OR count$3 OR track$3 OR number$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 17:34
S199	16	(halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus $3) SAME (low$3 SAME (priorit$3 OR affinit$3) SAME (process$2)) SAME ((cach$3) SAME (hit $4 OR miss$3) SAME (ratio$1 OR count$3 OR track$3 OR number$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 17:34
S200	32	(priorit$3 OR prioritiz $6) SAME ("input/ output" OR "I/O" or input OR output OR read$3 OR writ$3) SAME (hard ADJ drive OR disk$1 OR drive$1) SAME (cach $3) SAME (hit$4 OR miss$3) SAME (ratio $1 OR count$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 18:01
S201	0	(halt$3 OR stop$4) near5 (low near5 (priorit$3 OR affinit $3) near5 (process $2)) SAME ((cach$3) near5 (hit$4 OR miss $3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 18:59

S202	0	(halt$3 OR stop$4) near5 (low near5 (priorit$3 OR affinit $3) near5 (process $2)) SAME2 ((cach $3) near5 (hit$4 OR miss$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 18:59
S203	0	(halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus $3) near5 (low near5 (priorit$3 OR affinit$3) near5 (process$2)) SAME2 ((cach$3) near5 (hit $4 OR miss$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 18:59
S204	2	(halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus $3) WITH (low WITH (priorit$3 OR affinit$3) WITH (process$2)) SAME2 ((cach$3) near5 (hit $4 OR miss$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 19:00
S205	2	(halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus $3) WITH (low WITH (priorit$3 OR affinit$3) WITH (process$2 OR "input/output" OR "I/ O" or input OR output OR read$3 OR writ$3)) SAME2 ((cach$3) near5 (hit$4 OR miss$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 19:01

S206	176	(halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) near5 (low near5 (priorit$3 OR affinit$3) near5 (process$2 OR "input/output" OR "I/O" or input OR output OR read$3 OR writ$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 19:02
S207	404	(halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) near5 (low$3 near5 (priorit$3 OR affinit$3) near5 (process$2 OR "input/output" OR "I/O" or input OR output OR read$3 OR writ$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 19:02
S208	0	(halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) near5 (low$3 near5 (priorit$3 OR affinit$3) near5 (process$2 OR "input/output" OR "I/O" or input OR output OR read$3 OR writ$3)) SAME2 ((cach$3) near5 (hit$4 OR miss$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 19:06

S209	1	(halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) near5 (every near5 low$3 near5 (priorit$3 OR affinit $3) near5 (process $2 OR "input/ output" OR "I/O" or input OR output OR read$3 OR writ$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 19:08
S210	1	(halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) near5 ((every OR each) near5 low $3 near5 (priorit$3 OR affinit$3) near5 (process$2 OR "input/output" OR "I/ O" or input OR output OR read$3 OR writ$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 19:08
S211	1	(halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) near5 (every near5 low$3 near5 (priorit$3 OR affinit $3) near5 (process $2 OR "input/ output" OR "I/O" or input$4 OR output$4 OR read$3 OR writ $3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 09:50
S212	0	((maximum OR max) near5 (number $1 OR amount$1 OR quantit$3) near5 ((high OR top OR first) near2 (priorit $3))) SAME (new near2 (task$1 OR function$1 OR job $1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 09:52

S213	8	((maximum OR max) near5 (number $1 OR amount$1 OR quantit$3) near5 ((high OR top OR first) near2 (priorit $3))) AND (new near2 (task$1 OR function$1 OR job $1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:08
S214	2	(maximum OR max) near5 (number$1 OR amount$1 OR quantit$3) near5 ((high OR top OR first) near2 (priorit $3)) near5 (task$1 OR function$1 OR job$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:08
S215	3	(maximum OR max) near5 (number$1 OR amount$1 OR quantit$3 OR threshold$1) near5 ((high OR top OR first) near2 (priorit $3)) WITH (task$1 OR function$1 OR job$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:08
S216	1	(halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus $3) near5 (every near5 low$3 near5 (priorit$3 OR affinit $3) near5 (process $2 OR "input/ output" OR "I/O" or input$4 OR output$4 OR read$3 OR writ $3 OR job$1 OR task $1 OR function$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:10

S217	20	(maximum OR max) WITH (number$1 OR amount$1 OR quantit$3 OR threshold$1) WITH ((high OR top OR first) near2 (priorit $3)) WITH (task$1 OR function$1 OR job$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:12
S218	60	(maximum OR max) near5 (number$1 OR amount$1 OR quantit$3) near3 ((high OR top OR first) ADJ (priorit$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:12
S219	10	(maximum OR max) near5 (number$1 OR amount$1 OR quantit$3) near3 ((high OR top OR first) ADJ (priorit$3) near5 (process$1 OR task$1 OR function $1 respons$2 OR read$3 OR writ$3 OR operat$4 OR command$3 OR instruct$4 OR stag$3 OR destag$3 OR de-stag$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:12
S220	99	(maximum OR max) near5 (number$1 OR amount$1 OR quantit$3) near5 ((high OR top OR first) near2 (priorit $3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:12
S221	40	(maximum OR max) near5 ((high OR top OR first) near2 (priorit$3)) near5 (process$1 OR task $1 OR function$1 OR read$3 OR writ $3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:12

S222	57	((high OR top OR first) near2 (priorit $3)) near5 ((new or additional OR near2 (process$1 OR task $1 OR function$1 OR read$3 OR writ $3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:12
S223	65	(limit$3 OR restrict $3) near5 ((high OR top OR first) near2 (priorit$3)) near5 (process$1 OR task $1 OR function$1 OR read$3 OR writ $3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:13
S224	1271	(input$4 OR creat $3) near3 (new ADJ (task$1 OR function $1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:13
S225	1	S224 SAME ((high OR top OR first) near2 (priorit$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:13
S226	70	S224 SAME ((priorit $3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:13
S227	59	(US-20040162941-$ or US-20040205300-$ or US-20040205298-$ or US-20050172080-$ or US-20020141379-$ or US-20030223453-$ or US-20040039869-$ or US-20030014603-$ or US-20020053006-$ or US-20010042090-$ or US-20040117791-$ or US-20040006604-$ or US-20030023815-$ or US-20030172104-$ or US-20040054998-$).did. or (US-5542066-$ or US-6748487-$ or US-6557079-$ or US-	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2008/11/26 10:13

		6418510-$ or US-6145058-$ or US-6085287-$ or US-5983318-$ or US-5933853-$ or US-5933848-$ or US-5918244-$ or US-5930486-$ or US-5499354-$ or US-5787467-$ or US-5893139-$ or US-5608890-$ or US-5881266-$ or US-5867735-$ or US-5394531-$ or US-6308245-$ or US-7080379-$ or US-4720711-$ or US-6128672-$ or US-4920483-$ or US-6154681-$ or US-5274813-$ or US-6615316-$).did. or (US-6351844-$ or US-5559984-$ or US-6411982-$ or US-5542088-$ or US-5437032-$ or US-4750116-$ or US-6223256-$ or US-5943681-$ or US-5906000-$ or US-6604174-$ or US-6081871-$ or US-5367656-$ or US-5619676-$).did. or (EP-652513-$ or EP-400500-$).did. or (US-20040162941-$ or EP-400500-$ or CN-1716868-$).did.				
S228	0	(input$4 OR creat$3) near3 (new ADJ (task$1 OR function$1)) AND S227	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:13
S229	7	(new ADJ (task$1 OR function$1)) AND S227	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:13

S230	1	high$3 ADJ priorit$3 near5 (cache ADJ hit near3 ratio$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:14
S231	4	high$3 ADJ priorit$3 WITH (cache ADJ hit near3 ratio$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:14
S232	0	(high$3 ADJ priorit $3 near5 (task$1 OR process$2 OR read $3 OR writ$3)) SAME (cache ADJ hit near5 ratio$1 near5 (level$1 OR threshold $1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:14
S233	2	(high$3 ADJ priorit $3 near5 (task$1 OR process$2 OR read $3 OR writ$3)) AND (cache ADJ hit near5 ratio$1 near5 (level $1 OR threshold$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:14
S234	0	(priorit$3 near5 (task $1 OR process$2 OR read$3 OR writ$3)) WITH (cache ADJ hit near5 ratio$1 near5 (level$1 OR threshold $1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:14
S235	7	(priorit$3 near5 (task $1 OR process$2 OR read$3 OR writ$3)) WITH (cache ADJ hit near5 ratio$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 10:14

11/26/2008 10:37:00 AM
C:\ Documents and Settings\ mkrofcheck\ My Documents\ Files from Applications
\ 10750954\ 10750954.wsp